

HAF_O



**EFFICIENT
FORESTRY WORK**



EN 2026



AUXILIARY WINCH

AUXILIARY WINCH



SCAN
ME!




YouTube



No more pulling the
heavy steel cable!!

DESCRIPTION

The hydraulic auxiliary cable winch is specially designed for use on forestry cable winches. The heavy winch cable is pulled to the tree trunks using an auxiliary cable. The steel cable of the winch can thus be moved uphill over steep slopes of up to 170 meters by pulling only the lighter auxiliary rope over the pulley.



optimal guidance
by cable rocker

cable intake 360° rotatable

grip protection -
for more safety

NEW:
Optional with
removable
rope drum



telescopic tower

simple mounting by using
quick-change console

Safety feature:
Motormount block
limits the

⚙ The end of the auxiliary winch is fastened directly to the winch cable, including the chain.

⚙ Suspend aluminium deflection pulley, and carry along the auxiliary cable, doubled.

⚙ Fasten guide pulley to the tree with a noose, and pull the cable up.



Maximum safety and efficiency

- ⊗ Intervention guard and rope entry funnel for your protection
- ⊗ Motor mount block: maximum safety when unwinding the rope
- ⊗ Rope inlet can be rotated 360° for maximum flexibility

Quality and durability

- ⊗ Galvanized and powder-coated
- ⊗ Special steels for long durability

Easy handling

- ⊗ Height-adjustable winch tower
- ⊗ Easy connection to double or single-acting control unit
- ⊗ Can be combined with the existing radio system
- ⊗ With quick-change bracket for all common winch types



left-hand version



right-hand version

	Auxiliary Winch Pro	Auxiliary Winch Easy
continuous operating pressure:	180 bar	180 bar
max. supply pressure:	200 bar	200 bar
required quantity of oil:	min. 10 l/min, max. 70 l/min	
max. tensile force:	600 kg	500 kg
average cable speed:	up to 3m/s max 60 l/min	
weight without cable:	39 kg	33 kg
maximum cable version:	350 m plastics material 4,3 mm	250 m plastics material 4,3 mm
standard sail drum (fixed)	€ 1.833,33* € 2.200,00**	€ 1.708,33* € 2.050,00**
removable rope drum	€ 2.250,00* € 2.700,00**	€ 2.125,00* € 2.550,00**



The auxiliary winch is always supplied by the carrier vehicle.




Auxiliary winch challenge

Young girl defeats a strong man pulling a rope - Scan QR-Code and watch!

* Prices without 20% VAT - subject to change.

** Prices with 20% VAT - subject to change.



Auxiliary winch complete sets - removable rope drum

Completely pre-assembled as shown

Hydraulic block including all hydraulic components, connection cable, rope and roller set, hydraulic hose with quick coupling system, **removable rope drum** including plug set, **without bracket**



left-hand version

Complete set
EASY left
Item no. 120184
Removable rope drum
250 m rope, 4.3 mm
Roller set
€ 3.250,00*
€ 3.900,00**



right-hand version



left-hand version

Complete set
PRO left
Item no. 120186
Removable rope drum
350 m rope, 4.3 mm
Roller set
€ 3.425,00*
€ 4.110,00**



right-hand version

Complete set
PRO right
Item no. 120187
Removable rope drum
350 m rope, 4.3 mm
Roller set
€ 3.425,00*
€ 4.110,00**



Your matching console
see next page

* Prices without 20% VAT - subject to change.

** Prices with 20% VAT - subject to change.



The rope drum can be removed in a single step, allowing for more flexibility.

Auxiliary winch complete sets - fixed rope drum

Completely pre-assembled as shown

Hydraulic block including all hydraulic components, connection cable, rope and roller set, hydraulic hose with quick coupling system,

fixed rope drum

including plug set, **without bracket**

**PROVEN
STANDARD**



**Complete set
EASY left**
Art. no. 120132
fixed rope drum
250 m cable 4,3 mm
pulley set **€ 2.833,33***
€ 3.400,00**

left-hand version



**Complete set
EASY right**
Art. no. 120133
fixed rope drum
250 m cable 4,3mm
pulley set **€ 2.833,33***
€ 3.400,00**

right-hand version



**Complete set
PRO left**
Art. no. 120134
fixed rope drum
350 m cable 4,3 mm
pulley set **€ 2.991,67***
€ 3.590,00**

left-hand version



**Complete set
PRO right**
Art. no. 120135
fixed rope drum
350 m cable 4,3 mm
pulley set **€ 2.991,67***
€ 3.590,00**

right-hand version



Your matching console
see next page



* Prices without 20% VAT - subject to change.

** Prices with 20% VAT - subject to change.

CONSOLE AUXILIARY WINCH

One winch for all winches!
Configure online!
www.hafo.co.at



Universal bracket raw
with extension for welding on
Art.-no: 120131
€ 133,33* € 160,00**



Uniforest H/Pro
Powder-coated bracket
Item No.: 120156
€ 183,33* € 220,00**



Bracket Uniforest
G/GK
Art.-no: 120160
€ 230,00* € 276,00**



Bracket for Tajfun cable
winches
Art.-no: 120139
€ € 283,33* € 340,00**



Bracket for Tajfun VIP PRO 90
Art.-no: 120148
€ 290,00* € 348,00**



Bracket for Tajfun
EGV 5,5 Art.-no: 120145
€ € 210,00* € 252,00**



Universal console
Art. no.: 120129
€ 108,33* € 130,00**

Raw angle bracket for side mounting Krpan EH
in combination with raw long bracket
Item no.: 120163 + 120131
€ 173,33* € 208,00**



Laser-cut parts, raw
Universal bracket
Item no.: 120130
€ 68,33* € 82,00**

For anyone for whom the
standard Krpan solution
is not suitable.

Our laser-cut parts for the universal con-
sole allow winches that require special
adaptation to be conveniently mounted.



REMOVABLE ROPE DRUM

As an option or as an addition to existing auxiliary winches



Console Ritter S
Art.-no.: 120147
€ 225,00* € 270,00**



Console Tiger
left Art. no.: 120128
right Art.-no.: 120137
straight Art.-no.: 120138
€ 150,-* € 180,00**



Console winches
with strong grids
Art.-no.: 120161
€ 215,00* € 258,00**



Krpan series EH 5,5
Art.-no.: 120146
€ 225,00* € 270,00**



Console Krpan Type EH
6,5/8,5
Art.-no.: 120136
€ 225,-* € 270,00**



Console Krpan DH
Art.-no.: 120144
€ 225,00* € 270,00**



Bracket Krpan new EH/EHP Serie
6,7,8,9
Art.-no.: 120149
€ 296,67* € 356,00**



Console Krpan 7,8,9 DH PRO
Art.-no.: 120164
€ 235,00* € 282,00**



Krpan TYP EH console
6.5 and 8.5
Blade width 2 m Item no.: 120166
Blade width 1.8 m Item no.: 120165
€ 311,00 * **€ 373,20****

AUXILIARY WINCH ACCESSORIES



auxiliary winch
in detail



FOR THE PERFECT OPERATION YOU NEED:

left-hand or right-hand
auxiliary winch



different
console types



hydraulic block



existing winch radio,
regardless of manufacturer



set:
guide pulley, runner,
carabiner



cable

Prices without 20% VAT - subject to change.
** Prices with 20% VAT - subject to change.



Discover now
in the shop

comply with strict forestry standards



Switchbox
Art. no.: 420157
€ 72,50* € 86,40**



Switchbox
radio-controlled
Art. no.: 420156
€ 285,-* € 342,00**



Terra Funk H9
with anti-tilt function
pre-wired
Art. no.: 420122
€ 1.980,00* € 2.376,00**



Terra Radio H9
wired
Art. no.: 420126
€ 1.580,0* € 1.896,00**



Hydraulic block
incl. mudguard and cable
Art. no.: 420133
€ 495,83* € 595,00**



pulley set PRO
black
Art. no.: 420148
€ 125,00* € 150,00**



Set = pulley
webbing sling, carabiner
Art. no.: 420132
€ 75,00* € 90,00**



Splicing needle +
instructions.
Art. No.: 400120
€ 37,50* € 45,00**



4.3 mm synthetic fiber rope
standard
**Real breaking load in the
splice:
1.800 daN**
250 m Art. no.: 400123
€ 308,33* € 370,00**
350 m Art. no.: 400124
€ 425,00* € 510,00**



4.3 mm synthetic fiber rope
reinforced
**Real breaking load in the
splice:
2.200 daN**
250 m Art. no.: 400133
€ 435,00* € 522,00**
350 m Art. no.: 400134
€ 610,00* € 732,00**



5 mm synthetic fiber rope
**Real breaking load in the
splice: 2.900 daN**
230 m Art. no.: 400129
€ 383,33* € 460,00**
300 m Art. no.: 400130
€ 500,00* € 600,00**



Tree adapter
Art. no.: 120127
€ 160,-* € 192,00**

All HAFO plastic
fiber ropes are
extremely low rotation
made from high tenacity
HMPE fiber and
exclusively for
HAFO available

Protective cover
for the HAFO
auxiliary winch
Item no.: 400200-
400204
€ 145.00* € 174,00**



INNOVATION FOR FORESTRY WORK

REMOVABLE ROPE DRUM

DESCRIPTION

The removable rope drum from HAFO allows the rope to be left in the skid trail after use, thereby increasing efficiency and work safety in the forest.

Thanks to its well-thought-out, tool-free design, it can be removed in a single step and can be retrofitted to all HAFO auxiliary winches.



YouTube



- ⚙️ MORE FLEXIBILITY
- ⚙️ EASY HANDLING
- ⚙️ RETROFITTABLE

New purchases

Removable rope drum
PRO auxiliary winch optional
Item no.: 120151

€ 415,00* € 498,00**

Removable rope drum
EASY auxiliary winch optional
Item no.: 120150

€ 405,00* € 486,00**

Retrofit kit
for existing HAFO auxiliary winches
Includes matching protective cage
with cutout and safety lock and rope
inlet funnel

Auxiliary winch EASY Art. no.: 120152

€ 690,00* € 828,00**

Auxiliary winch PRO Art. no.: 120153

€ 710,00* € 852,00**

Conversion of existing rope drum

Conversion of your existing rope
drum at HAFO incl. protective cage
safety lock new hub

€ 500,00* € 600,00**

HEAVY WINCH



YouTube

**For forestry professionals—
pulls up to 1,000 kg!**

HEAVY Winch


Max. system pressure (base unit):	300 bar
Max. operating pressure (auxiliary winch):	210 bar
Required oil volume:	min. 20 l/min, max. 80 l/min
Max. pulling force:	approx. 1000 kg
Max. rope speed:	4 m/s
Rope capacity:	up to 500 m for a rope diameter of 5 mm

€ 4.150,00*

€ 4.980,00**

Complete set € 5.250,00*

€ 6.300,00**



Included in the set:

500 m of 5 mm plastic rope
Professional aluminum pulley (no gap),
breaking load 2 metric tons, sling with a maxi-
mum breaking load of 2 metric tons

Efficiency

- ⊗ maximum load capacity
- ⊗ for traction winches and large forestry machines

Integration into existing systems

- ⊗ customizable
- ⊗ Cable inlet, cable guide, and color of the base machine matched

More productivity, less downtime

- ⊗ long distances
- ⊗ large rope capacity
- ⊗ sturdy construction

**Rope Seesaw or Propeller Roller
Extendable Winch Tower
Custom installation options**

Rope guide with ball bearings 

rotatable




SAPI WINCH

PORTABLE

FIELDS OF APPLICATION:

- ⚙️ Crane front attachment
- ⚙️ Crane main boom
- ⚙️ Earth bucket loader
- ⚙️ Front loader
- ⚙️ Yard loader
- ⚙️ Log splitter
- ⚙️ Logging tongs
- ⚙️ 3-point
- ⚙️ Excavator arm
- ⚙️ Radio caterpillar

Increase the efficiency of your forestry machines



protected by a cage

simple cable fastening

optimal guidance by means of propeller pulley

rotatable by



Motormount block limits the drive force during unwinding

Easy installation thanks to quick-change bracket

Can be operated directly via the control unit or via a radio box set.



DESCRIPTION

The SAPI winch is a lightweight hydraulic winch system which is designed für quick and easy mounting on various devices. A quick-change bracket is used for tool-free installation. The winch enhances machine efficiency by extending crane reach and allosing tasks, such as lifting tree trunks t beyond crane's reach.



our SAPI winch

in action

Universally applicable

- ⚙ Low weighted
- ⚙ One winch - many possible use-cases
- ⚙ Individual setup thanks to various brackets
- ⚙ Minimize back damage through handling with crane

Easy handling



- ⚙ Simple connection to double-acting control unit
- ⚙ Can be combined with radio
- ⚙ Simple installation due to quick-change system
- ⚙ Optimal rope guidance due to propeller pulley
- ⚙ Easily useable with steel cable or plastic cable



	SAPI WINCH EASY	SAPI WINCH EASY+
continuous operating pressure:	180 bar	180 bar
max. supply pressure	200 bar	200 bar
required quantity of oil	min 20 l/min, max. 60 l/min	
max. tensile force	850 kg	1.000 kg
average cable speed:	up to 2 m/s at 60 l/min	
weight without cable:	20 kg	22 kg
maximum cable version:	50 m / 6 mm	
	€ 1.225,00* € 1.470,00**	€ 1.450,00* € 1.740,00**



	SAPI WINCH PRO
continuous operating pressure:	210 bar
max. supply pressure	250 bar
required quantity of oil	min 20 l/min, max. 60 l/min
max. tensile force	1.450 kg
average cable speed:	upt to 2 m/s at 60 l/min
weight without cable:	30,5 kg
maximum cable version:	50 m / 6 mm
	€ 1.708,33 € 2.050,00**



* Prices without 20% VAT - subject to change.

** Prices with 20% VAT - subject to change.

SAPI WINCH - portable

WHAT YOU NEED FOR
PERFECT OPERATION:

PROFESSIONAL
DEVICE



our SAPI winches
explained



SAPI winch



Different types of consoles



Steel or
plastic rope



Radio box set



Hydraulic hoses

The SAPI winches can optionally be
operated via the radio box set

SAPI WINCH COMPLETE SET

Fully pre-assembled as shown

with high-quality forest radio, pre-wired for 7-pin socket outlet
50 m synthetic fiber rope 6.4 mm with end hook
Electric control valve, adjustable rope speed
Hydraulic lines 1.6 m with quick couplers
without console



SAPI winch complete set **EASY**

Maximum pulling force 850 kg

Art. no. 110140

€ 2.895,00*

€ 3.474,00**

SAPI winch complete set **EASY Plus**

Maximum pulling force **1000 kg**

Art. no. 110141

€ 3.120,00

€ 3.744,00**

+ MORE POWER!



The powerhouse - 1450 kg tractive force!



Sapi winch complete set **Pro**

Maximum pulling force **1450 kg**

Art. no. 110142

€ 3.325,00*

€ 3.990,00**



Your matching console
see next page

* Prices without 20% VAT - subject to change.

** Prices with 20% VAT - subject to change.

CONSOLES SAPI WINCH



Console flange plate flat
Art.-no.: 110132

€ 143,33* € 172,00**



Universal console for
EASY, EASY+

Art.-no.: 110126

€ 75,00* € 90,00**



Universal bracket reinforced
for SAPI winch PRO

Art.-no.: 110130


€ 108,33* € 130,00**



Universal bracket
rotatable 360°

Art.-no.: 110128

€ 200,00* € 240,00**



Main arm bracket
incl. cable guide

Art.-no.: 110134

€ 541,67* € 650,00**



Universal bracket

Art.-no.: 110127

€ 37,50* € 45,00**



SAPI WINCH ACCESSORIES



Bypass set suitable
for SAPI winch Easy
Art.-no.: 420124
€ 71,00* € 85,20**



Radio box compact
Art.-no.: 420120
€ 1.900,00*
€ 2.280,00**



Synthetic fiber rope 6.4 mm
incl. thimble and hook
Real breaking load in splice:
3,000 daN

50 m | Art. no.: 400126
€ 205,00* € 246,00**
35 m | Art. no.: 400125
€ 175,00* € 210,00**



Synthetic fiber rope
reinforced 4.3 mm,
incl. thimble and hook
Real breaking load in
splice: **2790 daN**

100 m | Art. no.: 400132
€ 265,00* € 318,00**



5 mm high-density steel cable
incl. thimble + hook

50 m | Art. no.: 410128
€ 195,83* € 235,00**
35 m | Art. Nr.: 410127
€ 179,17* € 215,00**



6 mm Steel cable
highly compacted

35 m | Art. no.: 410125
€ 187,50* € 225,00**
50 m | Art. no.: 410129
€ 208,33* € 250,00**



Splicing needle +
instructions
Art. no.: 40012
€ 45,80* € 54,96**



Back chain 6 mm, 2 m
with suspension link
Art. no.: 410157
€ 49,00* € 58,80**

HYDRAULIC COMPONENTS FOR CONTROLLING THE SAI WINCH



Control valve - hydraulic
block electric
mechanical 12V **45 liter**
Adjustable oil quantity
Art. no.: 420151
€ 460,00* € 552,00**



Control valve - hydraulic
block electrical
mechanical 12V **45 liter**
Art. no.: 420131
€ 260,00* € 312,00**



Control valve - hydraulic
block electric
mechanical 12V **90 liter**
Art. no.: 420129
€ 575,00* € 690,00**

* Prices without 20% VAT - subject to change.

** Prices with 20% VAT - subject to change.

REFERENCES

AUXILIARY WINCH

BAGGERPROZESSOR



HOLZKNECHT



HOLZKNECHT



HSM



JOHN DEERE



EQUUS



EQUUS



TIGER



SKIDDER



KÖNIGSWIESER








KÖNIGSWIESER






UNIFOREST






REFERENCES

SAPI WINCH






FORESTRY MACHINES

Winch systems and forestry machinery
by professionals for professionals



SHOP



Drill gauge DRILLMASTER

A full tray of drill bits - and no one knows what diameter they are?
This is exactly where the Drillmaster comes in. Simply slide the drill bit through the conical slot and read the diameter immediately.
No measuring, no guesswork, no push gauge - fast, precise and error-free.

The Drillmaster is made of stainless steel, is robust, durable and can be used intuitively right away. Ideal for schools, training and workshops, it keeps things tidy, saves time and provides safety when handling drill bits and tools.

Perfect for everyday use in the workshop!



Our most important reference is our customers, who have sworn by original HAFO products for years!

HAFO Original - unmatched in

- safety
- durability
- function



More efficiency. More safety.
More possibilities in the forest



SCAN
ME!



YouTube



CHAINSAW MOUNTS

**Chainsaw holders –
Safe and ergonomic**

Whether fixed or swiveling, with the innovative Woodyfix and Woodyflip chainsaw mounts, your chainsaw is always perfectly stowed away and ready for immediate use.

The sturdy Woodyfix mount ensures a secure hold directly on your forestry machine and reliably protects the saw from dirt and damage.

New is the practical swivel device, which you can use to easily retrofit your existing Woodyfix: This gives you a version that can be rotated 90°

Alum bushings protect the chains



Woodyflipp,
rotatable motor
saw holder
€ 162,50* € 195,00**




Woodyfix
Chainsaw holder
Item no.: 470000
€79,19* € 95,00**



Rotating device
Item no.: 470001

€ 83,33* € 100,00**

Discover now
in the shop



Prices without 20% VAT - subject to change.
** Prices with 20% VAT - subject to change.



FROM TRADITION INTO THE FUTURE

We are the third generation in our family dedicated to cutting and harvesting wood.

Like many others, we also sought to harvest this precious commodity - wood,
but with which tools?

With which machines? And above all: Is it worth the effort?

This drove us to push our limits.

Our hard work resulted in customized products
which stand for work simplification, efficiency, know-how, success, sustainability and
safety, but are - above all - built for practical daily use.



HAFO GMBH

Othmar Ruthner-Strasse 8
3340 Waidhofen/Ybbs
Mail: office@hafo.co.at
www.hafo.co.at

Advisory and sales:
0664 / 48 66 123
anfrage@hafo.co.at



quality
according to

